COMPREHENSIVE ACTION PLAN FOR CLEAN AIR FOR NON-ATTAINMENT CITIES OF ANDHRA PRADESH

GUNTUR CITY





ANDHRA PRADESH POLLUTION CONTROL BOARD

D.No.33-26-14D/2, Near Sunrise Hospital, Pushpa Hotel Centre, Chalamalavari Street, Kasturibaipet, Vijayawada – 520 010 Phone. No.0866-2436217, Website: www.appcb.ap.nic.in

INDEX

S. No.	Contents	Page No.
1.	Introduction	01
2.	Identified non-attainment cities in Andhra Pradesh	01
	Hon'ble National Green Tribunal directions on non-	02
0.	attainment cities	02
1	PETER AND THE RESIDENCE OF THE PETER AND THE	. 02
	Constitution of Air Quality Monitoring Committee	
	Guntur city & its air quality	03
Ь.	Comprehensive Clean Air Action Plan (CAP) and	05
	Graded Response Action Plan (GRAP)	
	6.1 Comprehensive Action Plan (CAP)	05
	6.1.1 Air Quality Monitoring And Assessment	06
	6.1.2 Industries	07
	6.1.3 Power Plants	07 08
	6.1.4 Brick Kilns 6.1.5 Control of vehicular emissions	08
	6.1.6 Emission Control measures from on-road	09
	vehicles	0.5
	6.1.7 Freight transportation	10
	6.1.8 Public Transport System	12
	6.1.9 Non-motorized transport and safe access	13
	6.1.10 Compact city development to reduce distances	14
	and improve access	
	6.1.11 Traffic management	16
	6.1.12 Generator Sets	17
	6.1.13 Open burning (including solid waste and agricultural residues)	17
	6.1.14 Common Biomedical waste Treatment facility	18
	system	
	6.1.15 Cooking fuels and open eateries	18
	6.1.16 Road Dust	19
	6.1.17 Construction Dust	20
	6.1.18 Mining Areas	21
	6.1.19 Episodic Events	22
	6.1.20 Renewable Energy	23
	6.1.21 Urban Greens and Forests	23
	6.1.22 Improve training and capacity	23
	6.1.23 Need for public awareness and cooperation	24
	6.2 Graded Response Action Plan (GRAP) proposed for Guntur city	24
7.	Monitoring mechanism for implementation	28
1.	Monitoring mechanism of implementation	20



COMPREHENSIVE ACTION PLAN FOR CLEAN AIR - GUNTUR CITY

1. <u>Introduction:</u>

Andhra Pradesh Pollution Control Board (APPCB) as a regulatory body to control air pollution as per the provisions of the Air (Prevention and Control of Pollution) Act, 1981, is monitoring ambient air quality in cities and important towns including district head quarters of the State of Andhra Pradesh. Details of cities and towns monitored for ambient air quality are as follows:

Table - 1.1

S. No.	City/town	NAMP	SAAQM	CAAQMS	Total
1	Visakhapatnam	9	1	2	12
2	Vijayawada	9		1	10
3	Srikakulam	4			4
4	Vizianagaram	3	1		4
5	Kakinada	4			4
6	Rajahmundry	3		1	4
7	Eluru	4			4
8	Guntur	4			4
9	Ongole	4			4
10	Nellore	4			4
11	Tirupathi	4		<u></u> 1-11	4
12	Tirumala		<u></u> [1	1
13	Chittoor	3	E		3
14	Ananatapuram	4			4
15	Kurnool	4			4
16	Yerraguntla	1			1
17	Kadapa	3			3
18	Amaravathi			1	1
	Total:	67	2	6	75

2. Identified non-attainment cites in Andhra Pradesh:

Central Pollution Control Board (CPCB) has identified 102 cities and towns in India as non-attainment for not meeting the National Ambient Air Quality Standards (NAAQS). Five of them namely, Visakhapatnam, Vijayawada, Guntur, Nellore and Kurnool in Andhra Pradesh have been identified as non-attainment cities by CPCB in respect of Respirable Suspended Particulate Matter (PM10) and issued directions to APPCB under Section 18 (1) (b) of the Air (Prevention and Control of Pollution) Act, 1981 for preparation of action plans, in coordination with stake holder Departments to control air pollution in the said cities and towns. List of identified non-attainment cities in Andhra Pradesh are as follows:

Table - 2.1

S. No.	Cities Particulate Matter (PM10) ug/m3						Annual Average
		2011	2012	2013	2014	2015	Standard
1	Guntur	74	75	75	79	100	h- 25
2	Kurnool	82	74	76	77	82	
3	Nellore	63	62	62	63	66	60
4	Vijayawada	90	97	104	100	110	
5	Visakhapatnam	80	65	67	64	61	

3. Hon'ble National Green Tribunal directions on non-attainment cities:

Hon'ble National Green Tribunal, Delhi in its Order, dated 08.10.2018 in O. A. No. 681 of 2018 on non-attainment cities has issued the following directions to comply with:

- 1. All the States and Union Territories with non-attainment cities must prepare appropriate action plans within two months aimed to bring down the air pollution levels to the prescribed norms within six months from the date of finalization of action plans.
- 2. Action plans may be prepared by six-member Committee comprising of Directors of Environment, Transport, Industries, Urban Development, Agriculture and Member Secretary, State Pollution Control Board or Committee of the concerned State. The Committee may be called Air Quality Monitoring Committee (AQMC). The Committee will function under the overall supervision and coordination of Principal Secretary, Environment of the concerned State or the Union Territory. This may be further supervised by the Chief Secretaries concerned or their counter parts in Union Territories by ensuring intra-sectorial coordination.
- 3. The action plans thus prepared may be forwarded to CPCB by 31.12.2018 for examination and approval.
- 4. The action plan will indicate steps to be taken to check different sources of pollution having speedy, definite and specific timelines for execution.
- 5. The Chief Secretaries of the State and Administrators / Advisors to Administrators of the Union Territories will be personally accountable for the failure to formulate action plans, as directed.

4. Constitution of Air Quality Monitoring Committee:

In compliance to the directions of Hon'ble National Green Tribunal, Environment, Forests, Science & Technology Department, Govt. of Andhra Pradesh has issued the G. O. R. T. No. 167, dated 14.11.2018 constituting the Air Quality Monitoring Committee with the following members for preparation of action plans to control air pollution in five non-attainment cities in Andhra Pradesh.

Table - 4.1

S. No.	Member of the Committee	Designation
1	Commissioner, Transport	Member
2	Commissioner, Industries	Member
3	Commission & Director, MA&UD	Member
4	Commissioner & Director, Agriculture	Member
5	Member Secretary, APPCB	Member Convener
6	Special Secretary to Government Environment, Forest, Science & Technology Department	Member

5. Guntur city & its air quality:

Guntur is the district head quarters of Guntur District, Andhra Pradesh. It is located 24 Km away from Amaravathi, the state Capital of Andhra Pradesh. The city is situated on the plains at a distance of about 64 Km to North-west of the Bay of Bengal. Guntur city is located at 16°.29' N 80°.43' E. The city has a population of 7,43,654 as per 2011 census & flourishing with an additional floating population of about one lakh every day coming from other parts to the city. The District is famous for cultivation of horticulture crops, processing and export of crop yields viz., Red Chillies, Turmeric, cotton & tobacco etc. Large number of spinning mills, red chillies processing units, cold storage units are exists in the suburbs of the city.

APPCB was monitoring the ambient air quality of Guntur city with one station located at Municipal Traveler Bungalow (Commercial Area) under National Ambient Air Quality Monitoring Programme (NAMP) till recently for the parameters, PM10, SO2, NO2 & ammonia as against 12 as per Notification No B-29016/20/90/PCI-L dated 18 November 2009 of CPCB. Now, the ambient air quality of Guntur city is monitored with four stations with the sanction of three more stations by CPCB under NAMP. APPCB has started monitoring PM2.5 at one station located at Municipal Traveler Bungalow (Commercial Area) for assessing the fine particulate concentration in Guntur city. Ambient air quality of Guntur city is monitored at the following four locations.


S. No.	Location	NAMP / CAAQMS
1	Municipal Travellers bunglow.	NAMP
2	APPCB Office, Navabharath nagar.	NAMP
3	Autonagar.	NAMP
4	Government General Hospital.	NAMP

Table – 5.1: Air quality monitoring results of Guntur city.

S. No.	Parameter	2013	2014	2015	2016	2017	2018	Annual average Standard
1	PM10	74	88	100	88	64	53	60
2	SO2	4.4	4.6	4.9	5.2	6.8	8.0	50
3	NOx	16.6	23.4	25.8	29.5	22.5	26.5	40
4	NH3					28	22.1	100
Average	e of no. of			1		2	4	an est est

Note: All values are expressed in ug/m3.

From the results it is clear that the monitored parameters, PM10, SO2, NO2 & ammonia found to be within the standard limits of NAAQS for 24 hour average. Only particulate matter (PM_{10}) value is found exceeding the standard limit of NAAQS for annual average.



The major sources contributing to air pollution, particularly PM10 in Guntur city are road dust, vehicular emissions and construction activities. The reasons for higher values of PM10 could be attributed to re-suspension of road dust, emissions from vehicle movement, burning of biomass, municipal solid waste & garbage, construction activities, transportation of construction material such as sand, crusher metal, soil, congested roads, vehicle service centres, use of wood & coal for domestic & commercial cooking activities, etc. The air pollution problems from industrial activities are seen at city boundary towards western directions, i.e., contribution of air borne fugitive dust emissions generated from road metal quarries and stone crushing activities. About 15 kilometers from Guntur's city limits, one can find about 17 stone crushers operating. The predominant wind direction at the city is observed south-East and thus the fugitive dust emission load from industrial activities will be considerably low. During year 2017-18, construction works pertains to laying of underground drainage (UGD) network for Guntur city has started and at present it is under progress. The urban local body, i.e., Guntur Municipal Corporation (GMC) is adopting regular water sprinkling along UGD and clearing the debris to off-site from time to time. However, the dry weather conditions prevailing in Guntur city is resulting in re-suppression of dust, which is resulting in exceedance of PM₁₀ value.

No thermal power station is located near by the Guntur city within a radius of 40 kilometers. Though the district is having five cement industries, they are located far away from the city. Hence, the dust pollution from these industries is negligible.

The following detailed time-bound plan of action is formulated for Guntur City for attainment & maintain the air quality to the prescribed standards.

6. COMPREHENSIVE CLEAN AIR ACTION PLAN (CAP) AND GRADED RESPONSE ACTION PLAN (GRAP)

Against the above backdrop, this pollution source-wise comprehensive action plan has been developed for the non-attainment city of Guntur. While framing the action plans, kept in view the air pollution reduction targets for Guntur city detailed strategies have been identified to indicate the nature, scale, scope and depth of action needed for effective reduction to make an impact overtime.

This plan has identified the agencies responsible for implementation of each action point and has also indicated the timeline for implementation. This can be monitored for reporting and compliance.

6.1 Comprehensive Action Plan (CAP):

This section deals with source-wise clean air action plan and compliance strategy to meet clean air standards. The following tables indicates the short, medium and long term action along with agencies responsible for the city of Guntur. This plan indicates short term as six months; medium term as up to one year and long term 1-2 years. In relation to the current baseline the particulate pollution would need to be reduced by 30 per cent to meet the National Ambient Air Quality standards.

6.1.1	Air quality monitoring and assessment		
S. No.	Action points	Agency responsible	Timeline
6.1.1.1	Installation & commissioning of newly sanctioned three (3) ambient air monitoring stations under NAMP to Guntur city and monitoring of PM2.5 SPM. With this Guntur will have four stations in all under NAMP.	APPCB	Six months
6.1.1.2	Installation & commissioning of one CAAQM station for monitoring PM10, PM2.5, O3, CO, NH3, SO2, NO2 & Benzene including weather parameters to have real-time data continuously.	support from CPCB and	One year
6.1.1.3	Develop capacity for pollution forecasting for implementation of graded response action plan. This will also require monitoring of weather data.	consultation	one year

	dissemination system based on National Air Quality Index and health advisory.	Space Application Centre APSAC), EFS&T	
6.1.1.4	apportionment study, health impact	consultation	One to two years
6.1.2	Industries		T
6.1.2.1	Carry out pollution load estimation from industrial sector to enable setting of target for emission reduction.	APPCB	6 months
6.1.2.2	Implementation of SOx and NOx standards notified by MOEF&CC on 29 January 2018 for 35 categories of industries.	APPCB	6 months
6.1.2.3	To enable stronger local action to meet the clean air targets, the State Government can consider tighter emission standards for concerned industry that is permissible under the current national regulations.	APPCB	6 months
6.1.2.4	Assess the number of industrial units that are non-compliant and prepare unit/plant wise action plan for time bound compliance or be shut down.	APPCB	6 months
6.1.2.5	Create inventory of informal units and create site and cluster plan and shift them away from habitation.	APPCB	6 months
6.1.2.6	To strengthen the star rating programme to include full compliance with standards and switchover to low sulfur fuels/ natural gas	de APPCB	6 months
6.1.2.7	Prepare a clean fuel policy and provide mandat incentives for clean fuels for the state: for this identify approved and non-approved fuels Promote relatively cleaner fuels like oil, gas an electricity. Discourage fuels with very high sulphus and heavy metals concentrations like, furnace of pet coke, tyre oil, etc.	s s. d	6 months
	Need favourable taxation and pricing policy to make cleaner fuels more competitive	100000000000000000000000000000000000000	1,400
6.1.2.8	Strengthen the current siting policy for industries and industrial estates to be notified in future	APPCB, Department of Industries	

6.1.3	Power plants		
6.1.3.1	Implementation of new thermal power plant standards in all power plants by an early date. The power plants need to comply with the new emission standards by the outer date of 2022. Check status of compliance and prepare a transition plan for each power plant to meet the new standards.	MoEF & CC, Ministry and Department	2 years
	 Plants need to devise time bound emission reduction targets keeping the power load generation in mind. Plants found not meeting set emission reduction targets to be penalized. 		
	 Prepare plan for full utilization of fly ash, and effective management of fly ash pond for reduction of fugitive emissions, sprinkling of water (recy- cled water) especially during summer months, plantation and other stabili- sation methods to curtail wind-blown ash. 		
6.1.3.2	Progressively close the older and more polluting thermal power plants and to move to cleaner natural gas, if possible.	APPCB and Department of Energy, EFS&T	2 years
6.1.3.3	Chart a roadmap for cleaner plants and Incentivize their operation by giving them the priority over other polluting plants	APPCB, EFS&T, Department of Energy, power generating companies	2 years
6.1.4	Brick kilns		
6.1.4.1	There are brick kilns in close vicinity of the city. Enforce restrictions on operations of brick kilns within urban air-shed zones during high pollution periods; allow only those Brick kilns that comply with zig-zag or improved technology.	APPCB, EFS&T, Depart ment of Industri es	1 year
6.1.4.2	Convert all brick kilns to zigzag technology-from natural draft kilns to induceddraft kilns (zigzag technology).	APPCB, EFS&T, Depart ment of Industri es	

6.1.4.3	Prescribe design specifications for improved kilns and ensure compliance checking. Ensure conversion has actually taken place.	APPCB, EFS&T, Depart ment of Industri es	
6.1.4.4	Remove stone crushers that are close to the city; adopt stringent dust control measures and greening.	APPCB, EFS&T, Depart ment of Industri es	
6.1.5	Control of vehicular emissions		
6.1.5.1	Emission standard and fuel quality for new vehicles Ensure on-schedule implementation of BS VI fuel and emission standards on April 1, 2020. Ensure that only BS VI compliant vehicles are registered from this date. Supreme Court order of October 24, 2018 has directed that no vehicle that is not BSVI compliant can be registered from April 1, 2020.	t of Transport	2 years
6.1.5.2	ALTERNATIVE CLEAN FUEL POLICY FOR VEHICLES Electric vehicle programme: Need zero emissions mandate for targeted vehicle segment-wise phase in of electric vehicles — two-wheelers, three-wheelers/para transit, and large delivery fleet. Development of Guntur E-rickshaw/ Green emobility plan Mandate registration policy for auto-rickshaws, taxis, delivery fleet, and two-wheelers. Plan infrastructure for charging and batter disposal. This can be incentivized by lower road tax, motor vehicle taxes and registration charges, preferential licensing and permit system, allowing them in low emissions zones etc. Identify and notify commercial areas with high footfalls and good public / paratransit connectivity to pedestrianize supported by zero emission battery-operated vehicles: Ensure organized deployment to reduce congestion.	y y	1 year
6.1.5.3	Introduce gaseous fuel programme when gas becomes available. Plan CNG refuelling infrastructure for delivery and use.	Nodal agencies Transport	1-2 years

	Guntur has proposed a Green mobility plan for auto rickshaws, which will be implemented by 2020. Such initiative can be further encouraged.	department, Department of Energy, Infrastructur e and Investment, Civil Supplies Department MoPNG	
6.1.5.4	Bio fuel policy: There is potential of generating biogas from waste and sewage to run buses in cities.	Department of Energy, Infrastructur e and Investment, Oil marketing companies	1 year
6.1.5.5	Need favorable tax measures to promote clean fuels and vehicles and zero emissions vehicles.	Department of Energy and Finance and Infrastructur e	1 year
6.1.6	Emission control measures from on-road vehi	cles	19
6.1.6.1	Plan and implement adequate number of PUC centres and strengthen periodic auditing and oversight of PUC centres and calibration of equipment and third party checks. Reportedly, there are no designated pollution checking centres in Guntur.	Transport Department	6 months
6.1.6.2	Improve and strengthen PUC programme: Ensure universal linking of PUC centres with remote server and eliminate manual intervention in PUC testing. Ensure implementation of all test paramters for diesel and petrol vehicles including Lambda testing for petrol cars as notified by MORTH in 2004.	Transport Department	1 year
6.1.6.3	Integrate on-board diagnostic (OBD) system fitted in new vehicles with vehicle inspection. As per the MORTH advisory PUC centres have to check malfunctioning indicator light on dash boards of vehicles. If the light is found on vehicles to be sent back for testing in authorized workshops; Additionally, PUC centres need to check if the OBD is functioning properly.	Transport Department	1 year

	PUC certificates with annual vehicle insurance to ensure 100 per cent compliance as per the Directive of the Hon'ble Supreme Court. Need strong penalty for non-compliance with PUC. Vehicles without valid PUC certificates should be prohibited from plying.	Department and MoRTH	1 year
	Enforcement of law against visibly polluting vehicles: remove them from road, impose penalty, and launch extensive awareness drive against polluting vehicles.	Transport Department, Traffic Police	1 year
	Set up modern centralized vehicle inspection centres for upgraded emissions and fitness tests for commercial vehicles and diesel vehicles.	Transport Department, MoRTH	1 year
6.1.6.7	Phase out old vehicles and vehicle scrappage policy: Phase out old vehicles with the help of age cap and age linked road tax policy. Set up scrapping infrastructure for scientific dismantling and disposal of old vehicles. Set up recycling units that are authorized with proper guide- lines.	Transport Department	1 year
6.1.6.8	Vehicle labelling or sticker programme: The July 26, 2018 directive of the Supreme Court has approved the MoRTH's Colour Coded HSRP Hologram Stickers. This programme to come into effect on April 1, 2019, across the country will require, each vehicle, both old and new to be provided with colour coded non-tamperable High Security Stickers, along with the number plates. At a later date, older and polluting vehicles may	Transport Department, Traffic Police	1 year
	be discouraged in city centres or earmarked low emission zones by using these stickers for identification of vehicles.		- 1
6.1.7	Freight transportation		1000
6.1.7.1	Use of off-peak passenger travel times to move freight and restrict the entry of heavy vehicles into cities during the day to continue	District and local administrati on, Municipal Corporation	Within 6 month
6.1.7.2	Provide truck rest areas / parks along national and state highways to pre- vent entry of trucks into cities during peak hours.	PWD, NHAI	Within 6 months

			1
6.1.7.3	Install weigh-in-motion bridges and monitoring equipment. Ensure better quality and more efficient vehicles.		Within 6 months
	Promote high capacity trucks for freight transport of mining material instead of smaller trucks to reduce numbers.	A STATE OF THE STA	
6.1.7.4	Diversion of truck traffic: Guntur is a small city with the main arterial/ highway cutting through the city. Some parts are also unpaved. Entire truck traffic comes into the city. This creates enormous pollution. Check feasibility of diversion and realignment of roads to divert substantial number of trucks from the city. Alternate routes need to be identified and improved to ensure that commercial traffic does not enter the city. Also fix entry and exit timings of trucks and a management plan for ware- housing, loading unloading.	Department	Within 6 months
6.1.7.5	Check overloading: Use weigh-in-motion bridges / machines (WIM) and Weigh bridges at entry points to the city to check the payload of commercial vehicles. As per the CMVR, a penalty of 10 times the applicable rate for overloaded vehicles is applicable.	District and urban local administrat ion, Traffic Police, Transport departmen t	Within 6 months
6.1.7.6	Develop urban freight consolidation centres in relation to location of warehouses relative to suburban areas.		1 year
3.1.7.7	Create management systems for loading and unloading of goods in city areas.	District and local administration, Transport department	6 month
6.1.7.8	Develop a Safe-to-Load programme to ensure fitness and roadworthiness of trucks.	Transport Department,	6 month
3.1.7.9	Intra-state freight transport plan: Prepare plan for inter- and intra- state freight transport plan to improve rail-based freight traffic to reduce dependence on trucks.	Transport Department, Railways	2 years

6.1.7.10	FUEL QUALITY IESTING TO OTILOR	Local Administrati	6 month
	Prepare an action plan to check fuel adulteration and random monitoring of fuel quality data. To ensure that periodic routine and surprise fuel	on Department of Energy	
	testing is done for all transport and non-transport fuels. For this an action plan need to be prepared in consultation with oil companies and ministry of petroleum and natural gas.	Oil marketing companies	
6.1.7.11	Emission Control at Refueling Stations Install vapour recovery systems in fuel refueling outlets to reduce benzene and VOC emissions. CPCB has issued direction for installation of stage I and Stage II vapor recovery system in all retail outlets with capacity 3000 kilolitre and more in 46 million plus cities by December 2017. Retail outlets across the city should comply with this	of Energy Oil marketing companies Transport	1 year
6.1.8	Public Transport System		
6.1.8.1	Intermediate public transport (IPT) and bus system	P	
6.1.8.2	Define routes, permits, fares, vehicle design and safety standards, and vehicle technology standards for para-transit vehicles. Strengthen para-transit driver training and licensing procedures. This strategy is very important for smaller cities.	Department	1–2 years
6.1.8.3	Enforce through IT-based systems that track traffic violations, with repeat violations leading to increased penalties including fines, increased insurance, and cancellation of licenses	Department	1–2 years
6.1.8.4	Ban and phase out diesel auto-rickshaws. Introduce CNG/electric auto- rickshaws. Provide appropriate fiscal or regulatory incentives	Transport Department	1–2 year
6.1.8.5	Regulate the taxi industry in as integrated a manner as possible as a feeder service or otherwise to complement and promote NMT and public transport	Transport Department	1 year
6.1.8.6	Assess and introduce a city bus system of appropriate fleet size of small buses and desirable bus type replete with GPS tracking, ETVMs for fare collection and Passenger Information Systems. Develop route plan for bus operation; target trunk roads	Urban local body	1–2 years

6.1.9	Non-motorized transport and safe access		
6.1.9.1	Develop pedestrian and cycling friendly corridors and street clusters. To do so, adopt urban street design guidelines that will prioritize design for public transport access, walking and cycling infrastructure, safe and universal access, street furniture, facilities for parking, inter- modal transfer hubs, road markings, signage and traffic signals, pick up and drop off points for taxi, auto, three-wheelers stands, spaces for street vending and service lanes. Design drainage to provide co-benefit of capturing run-off and prevent flooding. Assess feasibility of constructing a bypass road	body/ NHAI	1–2 years
6.1.9.2	Prepare and implement zonal plans for developing an NMT network. This should include the following action: Implement network plan for footpaths on all roads Target specific lengths of footpaths and cycle tracks to be completed in a phased manner and cover the entire city Implement a network plan for more secondary street networks and un-gated streets to provide direct shortest routes for pedestrians and cyclists. Vehicular traffic can also be redistributed from major junctions through multiple routes to decongest. Signal-free corridors should be avoided as more road-space only attracts more traffic and impedes people's movement Plan and upgrade pedestrian/NMT crossings atleast every 250 m, with pedestrian signals and signages. These should preferably be at-grade. Reduce block sizes to reduce walking and cycling distances Implement synchronization of signals on a priority basis with an integrated IT-based traffic management system so that despite having frequent at-grade pedestrian crossings, traffic can move swiftly across signals. Introduce cycle sharing systems	Urban local body	1–2 years

	· Identify and notify key commercial areas		T. - T
	with high footfalls and good public transport connectivity to create pedestrian plazas Make safety and walkability audits of		
	mandatory Make encroachment of NMT lanes punishable offence under the current provision of law Need dedicated funding		
6.1.10	Compact city development to reduce distar	nces and	
6.1.10.1	Adopt compact urban form code for all new development and redevelopment to create high density, mixed-use, mixed-income development and high-density accessible streets to reduce travel distances and emissions	Urban local body	1–2 years
6.1.10.2	Guntur has both high density and low density areas. In low density areas and in urban sprawl maximize densities and planned mix land use with good transport connectivity, in order to facilitate maximum number of people walking or cycling or use NMT or feeder services easily to access public transport.	Urban local body	1–2 years
6.1.10.3	Travel demand management and residual Management: Implement Parking Area Management Plant neighborhoods and land uses for demarcation spaces for all modes as well as essential strestreet and multi-level parking facilities, with integration facilities, green open spaces alonged pedestrian/ NMT circulation plans, signage PAMPs to be prepared in consultation with bodies/ departments. This should include amounts	n (PAMP) for all on of all types of leget amenities —on- vending zones, many with the allied plans and pricing local stakeholders	delineated parking street, off- pulti-modal traffic and strategy. planning
6.1.10.4	Demarcate the emergency vehicle route on all public roads within the neighbourhood	Municipal Agencies/ Development Authorities	6 months
6.1.10.5	Ensure no parks and green areas are converted to parking	Municipal Agencies/ Development Authorities	6 months
6.1.10.6	Where shared Multilevel Parking facility is provided demarcate ingress-egress plan and ensure that no major disruption occurs on	Municipal Agencies/ Development	6 months

	main thoroughfare traffic. Also indicate pedestrian circulation plan.	Authorities	
6.1.10.7	Eliminate free parking and introduce effective variable parking charges based on duration of parking and 'user pay' principle as per the National Urban Transport Policy.	Municipal Agencies/ Development Authorities	6 months
6.1.10.8	Do not allow annual or monthly lump sum payment for parking in commercial areas. Annual passes allow unlimited use and do not reduce demand.	Municipal Agencies/ Development Authorities	6 months
6.1.10.9	Physically demarcate legal parking areas. Equip them with metering systems, proper signage, IT for information on parking availability to reduce cruising time and onstreet management	Municipal Agencies/ Development Authorities	1–2 years
6.1.10.10	Penalty for illegal/wrong parking esp. parking within the emergency lanes and non-designated areas to be prohibitive.	Municipal Agencies/ Development Authorities	1–2 years
6.1.10.11	Bundle existing/planned public parking facilities and on-street and off-street parking (including multi-level) facilities for management by a single agency/ operator. New stand-alone parking only sites are mostly not required since parking is permitted in all use zones.	Agencies/ Development	1–2 years
6.1.10.12	Earmark a part of parking revenue for local area improvement that includes footpaths, public amenities and parking facilities within the PAMP area	Agencies/	1–2 years
6.1.10.13	Introduce residential parking permit for regular parkers for use of public parking space and these may be monitored		1–2 years
6.1.10.14	In order to optimize utilization of land, ensure that in all new projects (e.g. commercial, institutional, housing, etc.), at least 50% of the available parking spaces is made available for shared parking facility.	Agencies/ Development	1–2 years
6.1.10.15	Ensure in the parking contractual agreement that the revenue sharing model is dynamic and flexible, allowing for flexibility in charging and varied usage and rates of the parking spaces; specify the investment that Contractor will have to make for upgradation	Agencies/ Development	1–2 years

	ITO		
	of the PAMP area including metering, ITS application for commuter information, signage		
6.1.10.16	buses, commercial vehicles and IPT-NMT modes, and for the differently abled.	Municipal Agencies/ Development Authorities	1-2 years
6.1.10.17	Parking charges should be optimal and ensure that at least 85 per cent of the available parking spaces are occupied during peak time. About 15% of parking spaces can be vacant and available at any time to encourage short term parkers.	Municipal Agencies/ Development Authorities	1-2 years
6.1.10.18	Introduce and further upgrade variable time-based pricing, as per market demand. Coordinated off-street and on-street / surface pricing in commercial and residential areas, and parking permits in residential areas. Parking should be charged as per duration, location in city and size of the vehicle. Parking rates (even if differential) should be applied to the entire PMAP area and not to a few streets.	Municipal Agencies/ Development Authorities	1–2 years
6.1.11	Traffic management		
6.1.11.1	Create electronic monitoring of traffic violations		6 months
6.1.11.2	Conduct audit of traffic intersections and install functional traffic signals at all major intersections	Traffic Police	6 months
6.1.11.3	Enforce lane driving through heavy fining	Traffic Police	6 months
6.1.11.4	Prepare traffic management plan for the city and continuously update it and monitor its performance.	Traffic Police/ Development Authorities	1–2 years
6.1.11.5	Introduce early alarm system during traffic congestion for the benefit of commuters on major routes, to facilitate route diversion	Traffic Police/ Development Authorities	1–2 years
6.1.11.6	Consider introducing plan for flexi/staggered timings to minimize peak movement of vehicles on roads	Traffic Police/ Development Authorities	1–2 years
6.1.11.7	Formulate action plan for controlling decongestion of fuel stations including increasing the number of dispensing machines		1–2 years
6.1.11.8	Examine existing framework for removing broken down buses / trucks from roads and create a system for speedy removal and ensuring minimal disruption to traffic from such	Development Authorities	1–2 years

	buses / trucks	Francisco de la constantina della constantina de	
6.1.12	Generator sets		
6.1.12.1	Ensure that only those DG sets that meet the standards in terms of emission or design of chimneys/exhaust and acoustic enclosures, also verify and check whether design specifications are followed or not thereafter the genset to be allowed to operate.	APPCB, District and local administration	6 months
6.1.12.2	Curtail use of DG sets in social events by providing temporary electric connections	APPCB, District and local administration, Power Distribution companies	6 months
6.1.12.3	Alternate power systems should be promoted in cell towers, and use of DG sets discouraged	APPCB, district and local	1 year
6.1.12.4	Leverage roof top solar programme to reduce dependence on DG sets	administration, Department of	1 year
6.1.12.5	Ensure access to quality electricity supply	Energy, Power Distribution Companies	1–2 year
6.1.13	Open burning (including solid waste and agr	icultural residues	
6.1.13.1	Enforce a complete ban on garbage burning in the entire region. Evolve a monitoring mechanism for this. Take stringent action against open burning of biomass, leaves, tyres etc. to control such activities	Municipal corporations, Regional Development Authority,	6 months
6.1.13.2	Ensure proper collection of horticulture waste (biomass) and composting-cumgardening approach; municipal zonal offices should be responsible for controlling burning of leaves and garbage on roads/ parks. All horticulture agencies should have compost pits in parks. Implement strong public outreach programme to promote household and community based composting systems (composting pits, shredders, etc.) of vegetative waste to prevent burning.	Resident Welfare Associations, APPCB, District and local administration	6 months
6.1.13.3	Make source segregation mandatory. Decentralized waste management for hotels, apartments, institutions as per Solid Waste Management Rules, 2016 to become mandatory. Implement provisions of Solid Waste Management Rules 2016 (and all rules related hazardous rules); Implement penal provisions to spot fine on waste		6 months

	burning. Also impose polluter pay cess. Strictly ban, open burning of hazardous industrial waste.		
6.1.13.4	Use of satellite based monitoring as well as mobile spot check squads for enforcement	Municipal corporations,	1–2 years
6.1.13.5	Proper management of landfill sites to prevent spontaneous fire	Regional Development	
6.1.13.6	Adopt roadmap for zero landfill policy to promote decentralized waste segregation, reuse and recycling	Authority, RWAs, State Police Department, PCB Andhra Pradesh Space Application Centre (APSAC)	
6.1.13.7	With good decentralised and segregated waste management system Waste To Energy Plant will not be needed. In case any location requires strong siting policy should be adopted to keep it away from habitation; stringent implementation of emissions norms; use state of the art technology and provide emissions data to SPCB.		
	Tunatura Tunatura	t facility system	
6.1.14	Common Biomedical waste Treatmer	APPCB,	6 months
6.1.14.1	incinerators and examine the feasibility of less polluting alternatives in compliance to Biomedical waste treatment rules. Assess feasibility of installing common facility for processing and safe disposal / incineration of biomedical waste	municipal corporation, Regional development authority, incinerators, hospital associations	O IIIOIIUIS
6.1.14.2	Implement CEMS for incinerators and provide data on emissions on an open platform progressively.		6 months
6.1.14.3	Develop a siting policy for biomedical incinerators.	A T -1 4 1	1 year
0445	Cooking fuels and open eateries		
6.1.15 6.1.15.1	A targeted programme to be	EFS&T, Department of	1-2 years

	coverage of households by distribution of LPG/PNG in all non-compliant cities. Leverage policies like Deepam and other state government schemes etc	0,	
6.1.15.2	In low-income neighborhoods, as well as roadside eateries/dhabas/ restaurants etc. promote and give access to LPG and electricity. Mandate and link commercial license of eateries etc to clean fuels.	energy, power and Natural gas, municipal	1–2 years
6.1.15.3	Prohibit use of coal in hotels and restaurants, phase out use of kerosene for cooking in the city and incentivize move to LPG also check feasibility of natural gas pipeline for residential and commercial use	energy, power	1–2 years
6.1.16	Road Dust		
6.1.16.1	As, currently because of lying of other utilities, most of the Guntur roads are dug up so there is lots of road dust and construction dusts. Sprinkling of recycled water (without compromising other uses); introduce water fountains at major traffic intersections, wherever feasible.		6 months
6.1.16.2	Phase-in mechanical/vacuum-based street sweeping wherever feasible; introduce wet / mechanized vacuum sweeping of roads		6 months
6.1.16.3	Implement truck loading guidelines; use of appropriate enclosures for haul trucks; gravel paving for all haul routes.	Department of Transport, Traffic Police, District and local administration	1–2 years
6.1.16.4	Maintain pot hole-free roads for free flow of traffic to reduce emissions and dust.	Municipal corporation, regional development authority, District and local administration	1 year

6.1.16.5	Increase green cover in the region.	EFS&T,	1-2 years
	Undertake greening of open areas, gardens, community places, schools and housing societies. Create tree barriers towards mining areas in the district	Municipal corporation, regional development authority, local bodies, RWAs	
6.1.16.6	Enforcement of air pollution control in concrete batching (use of water spray and wind breakers, bag filter at silos and enclosures, hoods, curtains etc).	APPCB, Department of industries, District and local administration	1–2 years
6.1.16.7	Adopt and mandate street design guidelines for paving of roads and footpaths (hard and soft paving) and vegetative barriers.		1–2 years
II we selected	. 5 4		
6.1.17 6.1.17.1	Develop and implement dust control measures for all types of construction activities buildings	District and local administration, Municipal	6 months
	and infrastructure. This should be strictly enforced. Regulators can refer the check list for inspection of construction sites prepared under directions of NGT and EPCA.	corporation, RWAs	
6.1.17.2	Undertake control measures for fugitive emissions from material handling, conveying and screening operations through water sprinkling, curtains, barriers and dust suppression units. Introduce steeper penalties for non- compliance. Needs enforcement.	administration, Municipal corporation, RWAs	6 months
6.1.17.3	Enforce restrictions on construction activities within urban airshed zones during high pollution period		6 months
6.1.17.4	Frame and implement policy for segregation of construction and demolition waste and provide a network of decentralized C&D waste segregation and collection sites across the city.	administration, Municipal corporation,	1–2 years

6.1.17.5	For material handling, construction and demolition, it should be obligatory on part of the developers to provide evidence of debris on-site recycling and/or disposal at designated sites.	administration, Municipal corporation, Real	1–2 years
6.1.17.6	Set up facilities to recycle construction and demolition waste. Mandate certain percentage of the material for new construction to be recycled construction waste. Implement provision of Central regulations for construction and demolition waste management rules 2016. Set up facilities for recycling of C&D waste. Make it mandatory to use certain percentage of recycled C&D waste in new construction of buildings and infrastructure. Include these materials in the schedule of rates.	administration, Municipal corporation, Real estate companies and RWAs	1–2 years
6.1.18	Mining Areas		
6.1.18.1	Covering of trucks even for internal transport of coal in stone field present in Guntur city. Implement measures for effective dust suppression during mining and allies activities such as crushing, loading, unloading blasting etc.	administration,	6 months
6.1.18.2	Dust suppression system- sprinkling of hydrophilic solvents so that water can be attracted and dust can be suppressed. Chemicals such as CaCl, MgCl ₂ , sodium silicate can be used as wetting agents	District and local administration, APPCB, Department of Mine	6 months
6.1.18.3	Constant electronic surveillance to enforce water sprinkling	District and local administration, APPCB, Department of Mines	6 months
6.1.18.4	Dust extraction system- This includes network of suction heads and ducting connected to wet wall cyclone for separating dust from the	District and local administration, APPCB, Department of	1 year

	air stream. Air outlet of cyclone collectors will have to be connected, so as to discharge clean air to atmosphere and collected dust from the cyclone shall be disposed off suitably. All related provision of the SPCB action plan for critically polluted area should be implemented.	Mines	
6.1.19 6.1.19.1	Measures to control forest fire/biomass/ crop residue burning: Use satellite based monitoring and on-ground enforcement to control biomass burning episodes.	APPCB, Andhra Pradesh Space Application Centre (APSAC), Department of Agriculture, Department of Science and Technology, District and local administration	Ongoing
6.1.19.2	Firecrackers: regulate and control its usage including restrictions on timing as per the Supreme Court and CPCB and PESO guidelines.		Ongoing

6.1.20	Renewable Energy		
6.1.20.1	Solar rooftop policy should be implemented and should be linked with transition from diesel genset to solar power, also the electric public transport can be linked with solar power plans to shift to zero emission target. Identify canals and open spaces for installation of solar power system Identify and target commercial and industrial establishments for installation of roof top solar system Organise consumer outreach programme on solar rooftop	renewable energy, Department of power/ energy,	1–2 years
	programme		
6.1.21	Urban Greens and Forests	B S L	
6.1.21.1	Avenue plantation along roads with more traffic. Urban planning to integrate urban greens (parks, district forests etc.) and urban forests in the Master Plans of the cities and all infrastructure development and urban redevelopment projects. At least 15-20 per cent of the new urban redevelopment projects should be set aside for urban green and tree cover. Urban planning to provide for green roofs and vertical greens linked to infrastructure development. Green walling with plantations around dust generators and also to be dust barriers to be integrated with the urban forestry and forest policy.	EFS&T, Department of Forest	1 year
6.1.22 6.1.22.1	Improve training and capacity Training and skill development will be required of public officials and	EFS&T, Department of	Ongoing

	planning and management and execution of the plan. This will also require extensive capacity building in all sectors and infrastructure planning.	Training, District and local administration	
6.1.23	Need for public awareness and coo	peration	
6.1.23.1	Organizing deeper public engagement and forums for public consultation for public understanding of the nature of solutions needed to address the complex problem of sustainable industrial development and urban mobility.	EFS&T, APPCB, District and local administration	Ongoing
	Formation of a public grievance redressal portal for redressal of public complaints on air pollution along with a supervisory mechanism for its disposal at time bound manner.		

6.2 Graded Response Action Plan (GRAP) proposed for Guntur city:

The proposed Graded Response Action Plan is meant to be temporary measures for duration of smog episodes and is implemented according to the severity of the daily air pollution levels. Once the levels come down and stabilize, measures are withdrawn. The objective of the GRAP is to prevent pollution from getting worse when adverse weather conditions trap and spike pollution.

The proposed GRAP is linked to the national air quality index that categorizes daily air quality as good, satisfactory, moderate, poor, very poor, severe, and emergency. All actions suggested for each category are cumulative and add up to the level of emergency as air quality worsens.

For GRAP implementation the scientific Task Force under APPCB will advise the High-powered committee on the daily pollution levels and forecasting based on real time monitoring. Accordingly the High-powered Committee may issue notices to the city authorities to implement the pre-defined action. The action notified for moderate and poor that are largely about stringent enforcement in different sectors can become default action for continuous implementation throughout the year. Additional measures meant for very poor and severe may be notified which such situation develops especially during calm and inversion conditions.

This will require daily air quality data reporting on the SPCB website and public dissemination system on air quality and health alert.

Severe + or Emergency

When PM2.5 levels cross 300 microgramme per cum or PM10 levels cross 500 microgramme per cum (or 5 times above the standard) or persist for 48 hrs or more.

Action to be taken	Agency responsible
Stop entry of diesel truck traffic into city (except essential commodities)	Traffic Police, Municipal Corporations
Stop construction activities	Pollution Control Board Municipal Corporations
Introduce odd and even scheme for private vehicles based on license plate numbers Or introduce low emissions zones in the city to stop entry of polluting vehicles (old and ageing and polluting diesel vehicles etc). For this purpose introduce sticker system as per MORTH guidelines to indicate fuel and date of manufacture of vehicles.	Transport Department Traffic Police

State Pollution Control Board Task Force to take decision on any additional steps including shutting of schools

Severe

When PM2.5 levels are above 250 microgramme per cum or PM10 levels are above 430 microgramme per cum

Action to be taken	Agency responsible
Close brick kilns, hot mix plants, Stone Crushers and other highly polluting units	State Pollution Control Board, District Administration Police
Shut down / minimize operation of polluting coal based power plant and incentivize power generation from existing natural gas based plants	State Pollution Control Boards
Intensify public transport services. Introduce differential rates to encourage off- peak travel.	Transport Department, State Transport Corporations
Increase frequency of mechanized cleaning of road and sprinkling of water on roads. Identify road stretches with high dust generation.	All road owning agencies including Municipal Corporations Public Works Department and National Highway Authority of India
Restrict movement of trucks inside the coal field mine areas	State pollution control board, Department of Steel and mines

Very poor

When PM2.5 levels are between 121–250 microgramme per cum or PM10 levels are between 351–430 microgramme per cum

Action to be taken	Agency responsible
Stop use of diesel generator sets	State Pollution Control Boards
Increase parking fee by three to four times	Municipal Corporations
Augment public transport services by increasing frequency	Department of Transport State Transport Corporation
Stop use of coal/firewood in hotels and open eateries	Municipal Corporations
Residential societies and individual house owners to provide electric heaters during winter to security staff to avoid open burning	Municipal Corporations Resident Welfare Associations
Alert in newspapers/TV to advise people with respiratory and cardiac patients to avoid polluted areas and restrict outdoor movement.	State Pollution Control Board

Moderate to poor

Poor—When PM2.5 levels are between 91–120 microgramme per cum or PM10 levels are between 251–350 microgramme per cum; Moderate—When PM2.5 is between 61–90 microgramme per cum or PM10 is between 101–250

microgramme per cum	Agency responsible
Action to be taken Stringently enforce/stop garbage burning in landfills and other places and impose heavy fines on person responsible	Municipal Corporations
Close/stringently enforce all pollution control regulations in brick kilns and industries	State Pollution Control Board
Stringently enforce pollution control in thermal power plants through Pollution Control Board monitoring	State Pollution Control Board
Do periodic mechanized sweeping on roads particularly in roads with heavy traffic and water sprinkling every two days	Municipal Corporations Traffic Police PWD
Strict vigilance and no tolerance for visible emissions—stop plying of visibly polluting vehicles by impounding or heavy fine	Department of Transport Traffic Police
Stringently enforce rules for dust control in construction activities and close non-compliant sites	District Administration, Police
Deploy traffic police for smooth traffic flow at identified vulnerable areas	Traffic Police
Divert non-destined truck traffic	Municipal Corporations Traffic Police
Strictly enforce Supreme Court orders on firecrackers	SPCB, District Administration in consultation with Chief Controller

	of Explosives, Petroleum and Explosive Safety Organization (PESO); Police
Ensure fly ash ponds are watered every alternate day during summer months (March-May)	Plant in charge of Power Plants
Information dissemination, social media, mobile Apps should be used to inform people about the pollution levels, contact details of control room, enable them to report polluting activities/sources to the concerned authorities, and actions that will be taken by government based on the level of pollution.	State Pollution Control Board District Administration

Action to be taken by public:

While the National Air Quality Index (AQI) and health advisory will inform people about the dangers of exposure, people are also expected to take precautionary measures to protect themselves. Suggested actions by public are listed below:

Level according to AQI	Action
	Those suffering from heart diseases, asthma, and other respirato- ry disease may consider avoiding undue and prolonged exposure
	Schools to suspend all outdoor activities and sport events
Very poor, severe	Report visible emissions from vehicles, industries, power plants, garbage burning, and other non compliances to the respective control rooms
	Do not use diesel and kerosene generators
	Maintain vehicles properly (PUC certificate, replace car air filter, maintain right tyre pressure)
	Minimize unnecessary travel, use public transport & avoid using private vehicles

7. Monitoring mechanism for implementation:

As per the directions of the Hon'ble National Green Tribunal, dated 08.10.2018, the Air Quality Monitoring Committee (AQMC) with six members has been constituted by the Govt. of Andhra Pradesh, vide G.O. Rt. No. 167, dated 14.11.2018 for the preparation of Action Plans. The Committee, as directed will function under the overall supervision coordination of Principle Secretary, Environment. This will further be supervised by Chief Secretary by ensuring intra sectorial coordination. The meeting of the AQMC was convened on 08.01.2019 and has approved the above given Comprehensive Clean Air Action Plan (CAP) and Graded Response Action Plan (GRAP) for Guntur city.

These Action Plans will further be communicated to all the stakeholders for compliance for control of ambient air quality in Guntur city. Compliance of the Action Plan points by the concerned stakeholder departments will be reviewed at regular intervals by the Principal Secretary, Environment & the Chief Secretary, Government of Andhra Pradesh.

MEMBER SECRETARY

National Air Quality Index


AQI Category (Range)	PM10 24-hr	PM ₂ . 5 24-hr	NO ₂ 24-hr	O3 8-hr	CO 8- hr (mg/ m ³)	SO ₂ 24- hr	NH 3 24- hr	Pb 24- hr
Good (0-50)	0-50	0-30	0-40	0-50	0-1.0	0-40	0- 200	0-0.5
Satisfactory (51-100)	51- 100	31-60	41-80	51- 100	1.1- 2.0	41-80	201- 400	0.5- 1.0
Moderately polluted (101- 200)	101- 250	61-90	81- 180	101- 168	2.1-10	81- 380	401- 800	1.1- 2.0
Poor (201-300)	251- 350	91- 120	181- 280	169- 208	Oct- 17	381- 800	801- 1200	2.1- 3.0
Very poor (301-400)	351- 430	121- 250	281- 400	209- 748*	17-34	801- 1600	1200- 1800	3.1- 3.5
Severe (401- 500)	430+	250+	400+	748+*	34+	1600 +	1800 +	3.5+

Source: Ministry of Environment and Forest and Climate Change

Health advisory linked with National Air Quality Index

AQI	Associated health impacts
Good (0-50)	Minimal impact
Satisfactory (51-100)	Minor breathing discomfort to sensitive people
Moderately polluted (101–200)	May cause breathing discomfort to the people with lung disease such as asthma and discomfort to people with heart disease, children and older adults
Poor (201–300)	May cause breathing discomfort to people on prolonged exposure and discomfort to people with heart disease
Very poor (301-400)	May cause respiratory illness to the people on prolonged exposure. Effect may be more pronounced in people with lung and heart diseases
Severe (401–500)	May cause respiratory effects even on healthy people and serious health impacts on people with lung or heart diseases. The health impacts may be experienced even during light physical activity

Source: Ministry of Environment and Forest and Climate Change



Annexure

Guntur city Ambient Air Quality Monitoring Data - PM10 values

							20	2014							
S. No.	Stations	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual average	Standard
-	Municipal Travellers bunglow, Guntur.	76	76	77	77	92	77	184	76	92	74	84	86	88	09
							20	2015							
-	Municipal Travellers bunglow.	111	111	113	120	110	94	96	85	92	06	06	98	100	09
							20	2016							
-	Municipal Travellers bunglow.	89	92	91	92	95	92	89	85	84	84	87	82	88	09
							20	2017							
~	Municipal Travellers bunglow.	78	73	73	72	73	71	7.1	22	63	63	29	99	69	ć
2	Navabharath nagar.	1	ı	-	64	54	09	59	48	90	99	53	47	55	00
City average	age	78	73	73	89	64	99	65	53	22	09	09	22	64	
							20	2018							
-	Municipal Travellers bunglow.	89	99	63	63	63	63	56	53	53	53	28	46	69	
2	Navabharath nagar.	22	22	47	69	57	22	49	42	38	38	47	37	48	Č
က	Autonagar.	1	1		1	-	-	2000		1	1	48	44	46	09
4	Government General Hospital.	1		8 8	1 1 1	2 2 2	1	1	1 1	1	1	48	14	45	Α.
City average	rage	62	61	22	61	09	09	53	48	46	46	20	42	53	

